

# Country Carriage House

## COLLECTION

### RESIDENTIAL GARAGE DOOR



*ALL THE ELEGANCE OF  
A CARRIAGE HOUSE DOOR,  
WITH THE STRENGTH AND  
PROTECTION OF A  
STEEL DOOR*



**ARM-R-LITE**

DOOR MANUFACTURING CO., INC.

Phone: (908) 754-2600 • Fax: (908) 754-6522

[www.arm-r-lite.com](http://www.arm-r-lite.com) • 800-554-5816

# Country Carriage House


## COLLECTION

## RESIDENTIAL GARAGE DOOR


Style 1




Style 2




Style 3




Style 5




Style 7




Style 1 Arch




Style 2 Arch




Style 4



Style 6



Style 8




Plain




Stockbridge



Stockton



Stockford



Somerton




Cascade



Style 2



Style 3




Style 4



Style 5



Style 6



All single car garage door styles are also available in a double car style.



### ARM-R-LITE



DOOR MANUFACTURING CO., INC.

Phone: (908) 754-2600 • Fax: (908) 754-6522

www.arm-r-lite.com • 800-554-5816

# Country Carriage House

## COLLECTION



### Features:

- 2" Thick steel sections with composite overlay.
- Corrosion and rust resistant hot- dipped galvanized steel skins
- R Value = 10.25
- Overlay Bonded to steel section to give the look of a wood carriage house door
- Virtually Maintenance Free.

### Cast Iron Decorative Hardware:



Decorative Handle Style 1




Decorative Hinge Strap and Door Studs



Decorative Handle Style 2



Door Handle



Ring Door Knocker

Lift Handle

# Country Carriage House

## RESIDENTIAL GARAGE DOOR

### Cut-away view:

- Tongue and groove meeting rails.
- CFC free expanded polystyrene insulation.
- 20 gauge hot dipped galvanized stiles.
- Rigid aluminum retainer



### Care Instructions

Country Carriage House Garage Doors are hand-crafted with low maintenance in mind with their steel and vinyl construction. In order to keep them in excellent condition,

**CLEANING:** Clean regularly with warm, soapy water only. Do not use an abrasive cleanser.

**PAINTING:** Use high quality, 100% acrylic latex paint. Use paint with an LRV (Light Reflective Value) greater than 15%. This will exclude some darker colors from being used. The Carriage Creek Warranty will be void if paint with an LRV of 15% or less is used.

**MAINTENANCE:** Although you should conduct monthly safety checks and provide regular limited maintenance, an annual visit from a trained door technician can keep your door operating safely and smoothly for a long time.

\*Complete care instructions and warranty given at time of purchase.

### Sizes Available:

HEIGHTS AVAILABLE:  
6'6", 6'9", 7'0", 7'6", 7'9", 8'0"



DOOR WIDTH:  
8', 9', 10'



DOOR WIDTH:  
12', 14'



DOOR WIDTH:  
15', 16', 18'

### Colors Available:

Base door colors

Brochure color may vary from actual product.

Vinyl Overlay for Door Style



### Stamped Steel Decorative Hardware:



**ARM-R-LITE**  
DOOR MANUFACTURING CO., INC.  
Phone: (306) 754-2600 • Fax: (306) 754-6522  
www.arm-r-lite.com • 800-554-5816

**IDA**  
International Door Association  
The Equipped Association for Door Professionals

**DASMA**